

**LISTING OF THE CLAIMS**

1           1. (Previously Presented) A method for collaborative computing in a system, the  
2 method comprising:

3           allocating a dynamic computing environment using a first user interface, wherein  
4           the dynamic computing environment comprises at least one resource of a  
5           plurality of resources, and the dynamic computing environment is  
6           allocated by virtue of allocating the at least one resource;

7           sharing the at least one resource between the first user interface and a second user  
8           interface;

9           executing an application on the at least one resource using either the first user  
10          interface or the second user interface;

11          transferring information generated by execution of the application to the first user  
12          interface; and

13          transferring the information generated by execution of the application to the  
14          second user interface in response to a command to collaborate with the  
15          second user interface, wherein the first user interface and the second user  
16          interface are at least in part provided by software executing on respective  
17          first and second devices separate from the dynamic computing  
18          environment.

1           2. (Original) The method of claim 1, further comprising modifying the  
2 information in the first user interface by interacting with the at least one shared resource  
3 through the first user interface.

1           3. (Original) The method of claim 1, further comprising modifying the  
2 information in the second user interface by interacting with the at least one shared  
3 resource through the second user interface.

1           4. (Original) The method of claim 1, further comprising switching control to  
2 modify the information between the first and second user interface.

1           5. (Previously Presented) A method for providing sharing of a software process  
2 among multiple users, the method comprising:  
3           allocating a distributed computing environment by virtue of allocating a first user  
4           computer and a second user computer;  
5           using a resource computer to transmit information about execution of the process  
6           to the first user computer, wherein the resource computer executes the  
7           process in a first location, and a first user operates the first user computer  
8           in a second location; and  
9           using the resource computer to transmit information about the execution of the  
10          process to the second user computer, wherein a second user operates the  
11          second user computer in a third location, and the first user computer and  
12          the second user computer comprise the distributed computing  
13          environment.

1           6. (Original) The method of claim 5, further comprising controlling the resource  
2 computer with the first user computer.

1           7. (Original) The method of claim 5, further comprising controlling the resource  
2 computer with the second user computer.

1           8. (Original) The method of claim 5, further comprising switching control of the  
2 resource computer between the first and second user computers.

1           9. (Original) The method of claim 5, further comprising modifying the  
2 information using the first user computer.

1           10. (Original) The method of claim 5, further comprising modifying the  
2 information using the second user computer.

1           11. (Original) The method of claim 5, further comprising switching control to  
2 modify the information between the first and second user computer.

1           12. (Original) The method of claim 5, wherein the shared software process is an  
2 operating system.

1           13. (Original) The method of claim 5, wherein the shared software process is a  
2 user interface controller.

1           14. (Original) The method of claim 5, further providing for sharing of a plurality  
2 of software processes.

1           15. (Original) The method of claim 5, wherein the system is used in training.

1           16. (Original) The method of claim 5, wherein the system is used in technical  
2 support.

1           17. (Original) The method of claim 5, wherein the system is used in usability  
2 studies.

1           18. (Previously Presented) A system for sharing a software process among  
2 multiple users, the system comprising:  
3           a resource computer that executes the process and transmits information about the  
4           process;  
5           a first user computer in a second location configured to receive information about  
6           the execution of the process;  
7           a second user computer in a third location configured to receive information about  
8           the execution of the process; and  
9           a dynamic computing environment, wherein the resource computer is allocated to  
10          allocate at least a portion of the dynamic computing environment.

1           19. (Original) The system of claim 18, wherein the dynamic computing  
2 environment is remotely located from the second and third location.

1           20. (Original) The system of claim 18, wherein the second location is remotely  
2 located from the third location.

1           21. (Original) The system of claim 18, further comprising a user interface  
2 controller, wherein the user interface controller switches control of the resource computer  
3 from the first user computer to the second user computer.

1           22. (Original) The system of claim 18, wherein the system is used in training.

1           23. (Original) The system of claim 18, wherein the system is used in technical  
2 support.

1           24. (Original) The system of claim 18, wherein the system is used in usability  
2 studies.